


BZ-HU003B



Intelligent guest room lighting control card pluggable module



Product Introduction:

Dalitek's BZ-HU003B programmable room control box is designed to power the next generation of smart hotel rooms. This system can work as a standalone unit or networked with the building management software (BMS) for central control and monitoring.

The BZ-HU003B has been designed to interface with and control light dimming. This room control system delivers reliable robust control that will ensure that your guests obtain the optimum experience during their stay .

Technical Parameters:

- 12 channel relay output , 3A/channel
- 2 channel dimming output, 2A/channel;
- 15 dry contact input (customizable)
- 4 channels LED output, 12V/channel
- 3 x RS485 (One for external net, one for internal net and one for HAVC)

BZ-HU003B




Intelligent guest room lighting control card pluggable module

Wiring Diagram:

See attachment

Product Application:


- Each module could work independently or co-work hand in hand. It can also work with BZ-HU003A, BZ-HU003C in order to remote control guest room through monitoring software, yet it can't be connected to the network independently.




BZ-HU003B



Intelligent guest room lighting
control card pluggable module



Network Diagram:



RS485



BZ-HU-003B












INTELLIGENT GUEST ROOM CONTROLLER

CE Manufactured by: **Dalitek**



SUPPLY

RJ12/LP



SUPPLY: ~230V 50-60Hz 20A

Application function: 12 x OUTPUT \ 2 x DIMMER

INPUT: 15 x CONTACT



WARNING

ISOLATE FROM
MAINS SUPPLY BEFORE
REMOVING THIS COVER
NO USER SERVICEABLE PARTS
INSIDE SERVICE BY QUALIFIED
PERSONNEL ONLY